

LAB. METEOROLOGICAL STATISTICS FOURTH STAGE

(First Semester)

Department of Atmospheric Sciences

2023 – 2024

Lecturers :

**L. Khawla Zaki , L. Farah Haseeb, L. Luma Mahdi ,
L. Salwa salman , A.L. Shahad Saad , A.L. Hala Ali**

Preparing by: L. Ruaa mazin , L. Farah Haseeb L. Luma Mahdi

D. Mean Center :

the mean was discussed as an important measure of central tendency for a set of data. If this concept of central tendency is extended to locational point data in two dimensions (X and Y coordinates), the average location, called the mean center, can be determined. the only stipulation is that the phenomenon can be displayed graphically as a set of points in a two-dimensional coordinate system.

The directional orientation of the coordinate axes and the location of the origin are both arbitrary.

Once a coordinate system has been established and the coordinates of each point determined, the mean center can be calculated by separately averaging the X and Y coordinates, as follows:

$$\bar{X} = \frac{\sum X_i}{n} , \quad \bar{Y} = \frac{\sum Y_i}{n}$$

where:

X = mean center of X

Y = mean center of Y

X_i = X coordinate of point i

Y_i = Y coordinate of point i

n = number of points in the distribution

for example\ Calculate the central mean of the following data

Point	Xi	Yi
A	61	33
B	80	20
C	10	18
D	12	14
E	20	12

H.W\

- Calculate the central mean of The following points represent weather stations centers.

weather stations centers	X	Y
1	10	4
2	16	8
3	8	9
4	24	12
5	18	16
6	28	13
7	11	10
8	30	20

Metrics of skewness and kurtosis

A-The skewness

Skewness means the asymmetry of the frequency distribution curve around the center point (mean).


so the frequency distribution curve is symmetrical about the center point (mean) ,if we drop a column from the top of the frequency curve and divide it into two parts, as for the opposite, the distribution is Asymmetric, meaning that it is skewed, either to the right or to the left. The skew scale is used to know the quality of the skewness of the frequency distribution.

*If the skewness scale is **positive**, this means that the arithmetic mean is **greater** than the median and that **the right side is more stretched**, and therefore **the skew is towards the right**.

*if the skewness scale is **negative**, meaning that the arithmetic mean is **smaller** than the median, then this means that **the skewness is towards the left and the left side is the largest**.


The shape of the frequency distribution curve can be known from calculating the skew coefficient where:

1- If the value of the skew coefficient is($S_k = 0-0.5$) , So (arithmetic mean = median) and thus that the frequency distribution curve is symmetrical.




2- If the value of the skew coefficient is positive ($S = +0.6 - +0.9$), So (median < the arithmetic mean), This indicates that the frequency distribution curve is skewed to **the right**

towards the right



Mean > median

3- If the value of the skew coefficient is negative ($S = -$), So (median > the arithmetic mean), This indicates that the frequency distribution curve is skewed **to the left**



median > Mean

The skew coefficient is extracted from the descriptive statistical report:

- 1- Enter the data for which you want to calculate the skewness.
- 2- From functions , choose (statistic), Then we choose it (Describe data), Then we choose it (SKEW).

For example\\ For the following data, explain whether there is skewness in the frequency distribution curve (2,4,6,8,10,8,6,4,2).

For example\\ For the following data, explain whether there is skewness in the frequency distribution curve (15,18,12,20,22,15,8,16,20,12,13).

B- kurtosis

It is a measure of the degree of height of the value of the frequency distribution (ie, the amount of decrease and height) in relation to the normal frequency distribution.

* If the kurtosis coefficient is ($K = 3$) The frequency distribution curve is **moderate**.

* If the kurtosis coefficient is ($K > 3$) The frequency distribution curve is **tapered**.

* The frequency distribution curve is obtuse ($K < 3$) The frequency distribution curve is **flat**.

The kurtosis coefficient is extracted from the descriptive statistical report:

1- Enter the data for which you want to calculate the kurtosis.

2- From functions, choose (statistic), Then we choose it (Describe data), Then we choose it (KURT).

For example \\ For the following data, explain whether there is kurtosis in the frequency distribution curve (5,9,6,3,2,4).

For example \\ For the following data, explain whether there is skewness and kurtosis in the frequency distribution curve (-5,-7,-3,-4,-9).

H.W \\ Calculate the skew coefficient and kurtosis for the following data, giving a description of the frequency distribution curve (66,85,52,78,80,91,74,58).

H.W \\ Calculate the skew coefficient and kurtosis for the following data, giving a description of the frequency distribution curve (2,3,6,7,12,13,5,2,1).