Chapter 2

Attention Deficit and Hyperactivity Disorder (ADHD)

Chapter 2

Attention Deficit and Hyperactivity Disorder (ADHD)



Definitions and Concepts of ADHD

Attention Deficit and Hyperactivity Disorder (ADHD) is a neurodevelopmental disorder that affects children, adolescents, and sometimes adults. It is characterized by difficulties in paying attention, excessive activity, and problems controlling impulsive behavior. ADHD is one of the most common disorders diagnosed in school-aged children. The main features of ADHD are:

1. **Inattention**: difficulty focusing on tasks, forgetfulness, being easily distracted.
2. **Hyperactivity:** excessive movement, restlessness, or difficulty sitting still.
3. **Impulsivity**: acting without thinking, interrupting others, and difficulty waiting one's turn.

ADHD is not the result of poor parenting or laziness. It is linked to differences in brain development and functioning, especially in areas that control attention and self-regulation.

Prevalence and Patterns of ADHD

ADHD occurs worldwide, though prevalence rates vary by country and method of diagnosis. Research suggests that 5-7% of children have ADHD, with boys more often diagnosed than girls. However, girls are often underdiagnosed because their symptoms are sometimes less disruptive. Patterns of ADHD may include:

- **Predominantly Inattentive Presentation**: The child mainly struggles with focus, organization, and following instructions.
- **Predominantly Hyperactive-Impulsive Presentation**: The child shows high levels of activity, fidgeting, and impulsive actions.
- **Combined Presentation**: The most common type, where both inattention and hyperactivity are present.

ADHD symptoms usually appear before the age of 12 and may continue into adolescence and adulthood. Adults with ADHD may struggle with time management, organization, and maintaining stable relationships.

Causes and Risk Factors

Although the exact cause is unknown, research shows that ADHD is linked to a combination of genetic, neurological, and environmental factors:

- **Genetics**: ADHD often runs in families.
- **Brain structure and function**: Differences in brain areas related to attention and impulse control.
- **Prenatal factors**: Exposure to smoking, alcohol, or premature birth may increase risk.

- **Environment**: Stress, family conflict, or exposure to toxins can contribute.

Treatment for ADHD

There is no cure for ADHD, but treatment can help manage symptoms and improve daily functioning. The most common treatments are:

1. **Medication**: Stimulants (e.g., methylphenidate, amphetamines) improve attention and reduce hyperactivity. Non-stimulants (e.g., atomoxetine) are used when stimulants are not effective or suitable.
2. **Behavioral Therapy**: Teaching children self-control strategies. Using rewards and consistent rules at home and in school.
3. **Educational Support**: Teachers can provide shorter tasks, structured routines, and frequent feedback. Individualized Education Programs (IEPs) may be developed for children with significant challenges.
4. **Parental Training and Support**: Parents learn effective strategies to manage behavior and reduce stress.

ADHD is best managed with a multimodal approach, meaning a combination of medical, psychological, and educational strategies.

Practical Examples

- A student who cannot sit still during a lesson may be allowed to take short movement breaks to release energy.
- A teacher may use visual schedules and step-by-step instructions to help a child with inattention stay on track.
- Parents may use reward charts to encourage positive behaviors such as completing homework on time.

Key Terms

English Term	Meaning in Arabic
Attention Deficit Disorder	اضطراب نقص الانتباه
Hyperactivity	فرط الحركة
Impulsivity	الاندفاعية
Behavioral Therapy	العلاج السلوكي

Questions and Answers

Q1: What is ADHD?

A1: ADHD is a neurodevelopmental disorder characterized by inattention, hyperactivity, and impulsivity.

Q2: At what age do ADHD symptoms usually appear?

A2: Symptoms typically appear before the age of 12.

Q3: What are the three main presentations of ADHD?

A3: Predominantly inattentive, predominantly hyperactive-impulsive, and combined.

Q4: Why are girls sometimes underdiagnosed with ADHD?

A4: Because their symptoms are often less disruptive and less noticeable than boys'.

Q5: Name two possible causes of ADHD.

A5: Genetics and differences in brain functioning.

Q6: What role do stimulants play in ADHD treatment?

A6: They improve attention and reduce hyperactive behavior.

Q7: How can teachers support students with ADHD in class?

A7: By using structured routines, shorter tasks, and frequent feedback.

Q8: What is meant by a multimodal approach to ADHD treatment?

A8: Combining medical, behavioral, and educational interventions for best results.

Q9: Give an example of a classroom strategy for ADHD.

A9: Allowing movement breaks to help students release energy and refocus.

Q10: Why is ADHD not considered the result of poor parenting?

A10: Because it is linked to brain development and genetics, not parenting style.

Q11: What is impulsivity in ADHD?

A11: Acting without thinking, interrupting others, and difficulty waiting for one's turn.