
Chapter 6: Formatting Paragraphs

To make your text appear the way you want, you can format its paragraphs. Word provides a wide range of paragraph formatting, from indents and line spacing to bullets, numbering, and borders. You can apply paragraph formatting manually, but it is better to apply it by using styles, which are collections of formatting.




Change Text Alignment

You can use Word's alignment commands to change the way that your text is positioned horizontally on a page. By default, Word left-aligns text. You can align text with the left or right margins, center it horizontally between both margins, or justify text between both the left and right margins. You can change the alignment of all the text in your document or change the alignment of individual paragraphs and objects.

To align text vertically, see <u>Chapter 7</u>, "Formatting Pages." The example in this section centers a headline between the left and right margins.

Change Text Alignment




1 Click anywhere in the paragraph you want to align.

2 Click Home.

The Home tab appears.

3 Click an alignment button.

Click **Align Left** (\equiv) to align text with the left margin. Click **Center** (\equiv) to center text between the left and right margins. Click **Align Right** (\equiv) to align text with the right margin. Click **Justify** (\equiv) to align text between the left and right margins.




Word aligns the text.

- It is aligned with the left margin.
- ¹ This text is centered between both margins.
- O This text is aligned with the right margin.
- This text is justified between both margins.

Set Line Spacing Within a Paragraph

You can change the amount of space Word places between the lines of text within a paragraph. For example, you might set 1.5 spacing to make paragraphs easier to read. By default, Word assigns single spacing within a paragraph for all new documents that you create.

Word can measure line spacing in inches, but in keeping with typography tradition, line spacing is most often measured in points, specified as *pts*. Twelve pts equal approximately one line of space.



Olick in the paragraph for which you want to change line spacing.

2 Click Home.

The Home tab appears.

Olick Line Spacing (:::).

The Line Spacing pop-up panel opens.

			ing Your Cat.docx •		🔎 Maria Jones 😇			
File Home 1	nsert Design Layout Re	ferences Mailings	Review View	Help		🖆 Share	Com	nents
	right = 11 = A* A* Aa - A <u>U</u> - ab x, x' A - <i>L</i> - <u>A</u>		- ⊡⊡ ⊴↓ ¶ ≣= ≙ - ⊞ -	AaBbCc 1 Normal	The second second	7	Dictate	
Sphoard IS	Font	rs Para	1.0		Styles	-	Voice	~
	Training Your Cat This free datasheet provi to socialize with you and commands.		1.15 1.5 2.0 2.5 3.0 4	1	a your cat effectiv commonly usefu			
	Why Train Your Cat? Whether you consider yo that you and your cat en		Line Spacing Optio	Paragraph	our cat, it's impo	rtant		
	People have different exp expectations, you will alr		icn relationships		hatever your	\checkmark		
A	get your cat to take actio	ns you want. Fe	or		- V	6		
	example, you may need y	our cat to com	e to you 🥤	N.				
	so you can put on or adji	ust its collar, or	r you may	12	in the	23		
	need your cat to enter a	ravel basket fo	er a trip to the ve	et's witho	out resistance or			

• Move the pointer (\Bbbk) over the line spacing you want to preview.

⁽¹⁾ Word displays the paragraph with a preview of the spacing.

A setting of 1 represents single spacing; 1.15 places a small amount of blank space between lines; 1.5 places half a blank line between lines of text; 2 represents double spacing; 2.5 places one and a half blank lines between lines of text; and 3 represents triple spacing.


Olick the spacing you want.

Word applies the spacing to the paragraph.

Set Line Spacing Between Paragraphs

In addition to changing the spacing between lines within a paragraph, you can change the amount of space Word places between paragraphs of text. For example, you can add space between single-spaced paragraphs so that there is a gap between them.

You can set spacing before a paragraph or after a paragraph. Word measures spacing between paragraphs in points (pts). For normal text size of about 12 pts, you can create one blank line between paragraphs by adding 6 pts before and 6 pts after the paragraph, or you can simply add 12 pts before or 12 pts after the paragraph.



1 Select the paragraph or paragraphs for which you want to set line spacing.

2 Click Home.

The Home tab appears.

Paragraph			?	×
Indents and Spa	acing Line and	Page Breaks		
General				
Alignment:	Left 🗸 🗸	1		
Outline level:	Body Text 🗸 🗸	Collapsed by defa	ult	
Indentation				
Left:	0.	Special:	B <u>y</u> :	
<u>R</u> ight:	0.	(none)	\sim	-
<u>Mirror inde</u>	ents			
Constant				
Spacing Before:	0 pt	4 spacing:	A+.	
After:		Multiple	<u>A</u> t:	• •
-	snace between na	aragraphs of the same st		• •
	spa <u>c</u> e between pa	agraphs of the same st	yie	
Preview				
Previous Para Paragraph Pre	graph Previous Paragraph P vious Paragraph Previous P	revious Paragraph Previous Paragrap aragraph Previous Paragraph Previou	h Presions 15 Paragraph	
Previous Para Great guestio	graph. ní			
Following Part Following Part Following Part	agraph Following Paragraph agraph Following Paragraph agraph Following Paragraph	Following Paragraph Following Para Following Paragraph Following Para Following Paragraph Following Para Following Paragraph Following Para Following Paragraph Following Parag	praph praph praph	
<u>T</u> abs	Set As <u>D</u> efa	ult OK	0	ancel

³ Click the dialog box launcher (₅) in the Paragraph group.

The Paragraph dialog box opens.

O Click ■ to increase or decrease the space before the selected paragraph.

Paragraph		?	×
Indents and Spa	cing Line and Page Breaks		
General			
Alignment:	Left 🗸		
Outline level:	Body Text 🗸 Collapsed by defa	ult	
Indentation Left: <u>R</u> ight:	0°	<u>Бу</u> :	-
<u>Mirror inde</u>	nts		
Spacing			
Before:	0 pt 🚖 Li <u>n</u> e spacing:	<u>A</u> t:	
A <u>f</u> ter:	12 pt 🗧 5 Jultiple	~ 1.08	÷
Don't add :	spa <u>c</u> e between paragraphs of the same st	yle	
Preview			_
Following Para Following Para	graph Following Paragraph Following Paragraph Following Para graph Following Paragraph Following Paragraph Following Para graph Following Paragraph Following Paragraph Following Para graph Following Paragraph Following Paragraph Following Para	graph graph	
<u>T</u> abs	Set As Default 6 OK	Ca	ancel

^⑤ Click ■ to increase or decrease the space after the selected paragraph.



The Paragraph dialog box closes.

• Word applies the spacing before and after the selected paragraph.

Olick anywhere outside the selection to continue working.

TIP


What does the Don't Add Space Between Paragraphs of the Same Style check box do?

As explained later in this chapter, you can use styles to assign predefined sets of formatting information, such as font and paragraph information, including line spacing, to paragraphs. By default, Word assigns the Normal style to each paragraph of text. You can click **Don't add space between paragraphs of the same style** (□ changes to □) to use the same spacing both within a paragraph and between paragraphs to which you have assigned the same style.

Create a Bulleted or Numbered List

You can use bulleted and numbered lists to organize your information. A bulleted list adds a dot or similar symbol in front of each list item, whereas a numbered list adds a sequential number or letter in front of each list item. You can create a list either as you type it or after you have typed list elements.

You can also create multilevel lists, such as the type of list you use when creating an outline. Word enables you to use numbering and bullets at different list levels to create the multilevel lists you need.



Create a List as You Type


1 Type **1.** to create a numbered list or ***** to create a bulleted list.

- 2 Press Spacebar Or Tab.
- Word automatically formats the entry as a list item and displays the AutoCorrect Options button (¹) so that you can undo or stop automatic numbering.
- **3** Type a list item.
- It item.

¹ Word automatically adds a bullet or number for the next list item.

B Repeat steps 3 and 4 for each list item.

To stop entering items in the list, press 🚥 twice.



Create a List from Existing Text


1 Select the text to which you want to assign bullets or numbers.

2 Click Home.

The Home tab appears.

Olick Bullets (≡) or Numbering (≡). This example uses Bullets (≡).

G Word applies numbers or bullets to the selection.



Create a Multilevel List

Position the insertion point where you want to create the list.

2 Click Home.


The Home tab appears.

Olick Multilevel List (a).

The Multilevel List gallery opens.

Olick the list type you want to use.

• Word applies the list formatting to the paragraph in which you positioned the insertion point.



• Type your list.

- If you can press is to enter a new list item at the same list level.
- Each time you press is, Word indents a level in the list.
- G Each time you press 🚥 + 📼, Word outdents a level in the list.

TIP


How do I change the numbering in a multilevel list?

Click **Home** to display the Home tab, then go to the Paragraph group and click **Multilevel List** (=). In the Multilevel List gallery, click **Define New Multilevel List** to open the Define New Multilevel List dialog box. In the Click Level to Modify box, click the list level you want to change; for example, click 1 to modify the top level of the list. Use the options in the Number Format area to specify the number format, number style, and font for the number. Then use the options in the Position area to specify the number alignment and indentation. Click **OK** when you finish.

Display Formatting Marks

You can display formatting marks that do not print but that help you identify formatting in your document. Displaying formatting marks can often help you identify problems in your documents. For example, if you display formatting marks, you can visibly see the difference between a line break and a paragraph mark. You can see where spaces were used to attempt to vertically line up text, where you should have used tabs, as described in the section "<u>Set and Use Tabs</u>," later in this chapter. Word can display formatting marks that represent spaces, tabs, paragraphs, line breaks, hidden text, and optional hyphens.

Display Formatting Marks




Open any document.

2 Click Home.

The Home tab appears.

Olick Show/Hide (1).




Word displays all formatting marks in your document.

- ^I Single dots (⋅) represent the spaces you insert each time you press spacebal.
- ¹ A paragraph mark (1) appears each time you press **Example**.
- G A line break (↔) appears each time you press 🔤 + 🔤.
- ^I Hidden text appears underlined with dots.
- Optional hyphens, inserted by pressing com + s, appear as ...
- Click Show/Hide (1) again to hide formatting marks.

Hide or Display the Ruler

You can hide or display horizontal and vertical rulers while you work on a Word document in Print Layout, Web Layout, or Draft views. The rulers can help you position text and objects accurately on the page both horizontally and vertically. You also can use the rulers to align tables and graphic objects and to indent paragraphs or set tabs in your document, as described in the sections "Indent Paragraphs" and "Set and Use Tabs," later in this chapter.

Hide or Display the Ruler




1 Click View.

The View tab appears.

2 Click Show.

The Show pop-up panel opens.

3 Click Ruler (□ changes to ☑).



⁽¹⁾ The horizontal ruler appears above your document and below the Ribbon.


¹ The vertical ruler appears on the left side of your document.

Note: When you want to hide the rulers, click **View** to display the View tab, click **Show** to open the Show pop-up panel, and then click **Ruler** (\square changes to \square).

Indent Paragraphs

You can use indents as a way to control the horizontal positioning of text in a document. Indents are simply margin adjustments that affect individual lines or paragraphs. You might use an indent to distinguish a particular paragraph on a page—for example, a long quote.

You can indent paragraphs in your document from the left and right margins. You also can indent only the first line of a paragraph or all lines except the first line of the paragraph. You can set indents using buttons on the Ribbon, the Paragraph dialog box, and the horizontal ruler.




Set Quick Indents

Olick anywhere in the paragraph you want to indent.

2 Click Home.

The Home tab appears.

- Olick an indent button:
- Olick Decrease Indent (a) to decrease the indentation.
- ^I Click Increase Indent (I) to increase the indentation.



^O Word applies the indent change.

AutoSave		Loan-Taking Advice.do	cx - Saving •	م	Maria Jor	ves 🛅 🛛 🖾	-	a x
File Ho	me 2 Design Layout	References Mailings	Review View	Help		순 51	hare 🕫 O	omments
Paste	Calibri (Body) ~ 11 ~ A* A* Aa B I U ~ ab x, x* A ~ /		≡≡ \$↓ 3 ≡• &•⊞•		No Spac He		A Dicta	te
Xipboard 15	Font	5 Parag	raph f5		Styles	5	Veic	,
				graph			?	×
		When to Consid		ents and Spacing	Line and Pag	pe Breaks		- 1
		when to consid	0	ignment Let				- 1
	The advice in this article i		such without a			Collapsed by o	Sefault	
	cannot be held liable for		Ind	entation			9	- 1
	It's a great time as an ind			et: 0*		Special	B ₂ :	
	improve your quality of li However, there are a few			ight: 0"] Mirror indents		First line (none) First line Hanging	0.5	
		terest you'll be paying			4			-1
	 The repayment p 			efore: Op Ster: Sp		Line spacing: Multiple	At:	
	 Your assets and I 	g, and how to improve it how they can be used as				graphs of the sam		· .
		y you have in the bank you're willing to take	Pre	iew				-1
	We'll go into depth on ea	ach of these factors in th	D ne next section.			aggeb Pressens, Paragoph Press builties: paragraf to false out a for matchine; to halp your small a prospects full resing. Paragoph Paragoph full resing Paragoph Paragoph full resing Paragoph		
			I	abs	Set As Defa	7	Car	cel
Page 1 of 1	43 words 🗊 Insert			,13, 70	cus um	10 -		+ 117

Set Precise Indents

Olick in the paragraph or select the text you want to indent.

2 Click Home.

The Home tab appears.

③ Click the dialog box launcher (₅) in the Paragraph group.

The Paragraph dialog box opens.

• Optionally, click **Left** or **Right** and specify the distance to indent the left and right edges of the paragraph or selection.


⁶ Click **Special** (*w*) to select an indenting option.

First Line, shown in this example, indents only the first line of the paragraph, and Hanging indents all lines except the first line of the paragraph.

6 Click
■ to set the distance for the first line indent or the hanging indent.

• The Preview area shows a sample of the indent.

🕖 Click OK.



^I Word applies the indent to the paragraph containing the insertion point.

TIP

How do I set indents using the Word ruler?

The ruler contains markers for changing the left indent, right indent, first-line indent, and hanging indent. Click **View** to display the View tab, click **Show** to open the Show pop-up panel, and then click **Ruler** to display the ruler. On the left side of the ruler, drag **Left Indent** (□) to indent all lines from the left margin, drag **Hanging Indent** (□) to create a hanging indent, or drag **First Line Indent** (△) to indent the first line only. On the right side of the ruler, drag **Right Indent** (△) to indent all lines from the right margin.

Set and Use Tabs

You can use tabs to create vertically aligned columns of text. Using tabs as opposed to spaces ensures that information lines up properly. To insert a tab, press is; the insertion point moves to the next tab stop on the page.

By default, Word creates tab stops every 0.5 inch across the page and left-aligns the text on each tab stop. You can set your own tab stops using the ruler or the Tabs dialog box. You also can use the Tabs dialog box to change the tab alignment and to specify an exact measurement between tab stops.

toSave 💿 🕠 🔯	ツ・ ひ・	Emergency Contact Phone List.docx - Saving		∞ – o
з в I ц.	\sim 11 \sim $A^{*} A^{*} Aa \sim$ \sim ab $x_{1} x^{2} A \sim 2$ \sim Font	Ap III → III	BbCcDx AaBbCcDx AaBbCc v Normal TNo Spac Heading 1 v Sbites 55	Share Con Eding Dictate Voice
	Veterinarian:			
	Veterinarian: My contact informatior Name: Home:	ы		

Add a Tab

1 Click **Tab** until the type of tab you want to add appears.


E-Left tab, which sets the starting position of text that then appears to the right of the tab.

-Center tab, which aligns text centered around the tab.

-Right tab, which sets the rightmost position of text aligned with the tab.

--Decimal tab, which aligns values at the decimal point. Values before the decimal point appear to the left of the tab and values after the decimal point appear to the right of the tab.


-Bar tab, which inserts a vertical bar at the tab stop.



2 Select the lines to which you want to add a tab.

3 Click the ruler where you want the tab to appear.

Word displays the type of tab you selected at the location you clicked on each selected line.



Using a Tab


Click to the left of the information you want to appear at the tab; in this example, immediately after the ":" after "Police" to add a tab followed by the phone number.

2 Press 🚥.

 If you display formatting marks, Word displays an arrow (→) representing the tab character.

3 Type your text.

¹³ The text appears aligned vertically with the tab.



Move a Tab

Olick the line using the tab or select the lines of text affected by the tab.

2 Drag the tab to the left or right.

• A vertical line marks its position as you drag.

When you click and drag a tab, the text moves to align vertically with the tab.


TIP

How can I delete a tab?

Click in the single paragraph containing the tab, or select all the paragraphs containing the tab. Then drag the tab off the ruler. When you delete a tab, text aligned at the tab moves to the first preset tab on the line.

Instead of setting tabs quickly using the ruler, you can use the Tabs dialog box, which offers further options for tabs and also enables you to clear all tabs quickly from the current paragraph or selection.

When you need to help the reader follow information across a page, you can use dot *leader tabs*—tabs that automatically insert the number of dots needed to bridge the tab's gap, as in the chapter-opening pages of this book.



Set Tabs Using the Tabs Dialog Box

Select the paragraphs for which you want to set tabs.Note: To set tabs for a single paragraph, click in that paragraph.

2 Click Home.

The Home tab appears.

③ Click the dialog box launcher (ы) in the Paragraph group.

Indents and Spacing Line and Bage Breaks General Alignment: Left Quitine level: Body Text Collapsed by default Indentation Left: 0 Special: Bg: Bight: 0 Special: Bg: Bight: 0 Special: Bg: Bight: 0 Special: Bg: Dight: 0 Special:	•	Iab stop pendior 4 5 Alignment 0 Left 0 Recimal Leader 0 1 None 0 4 8 Set	○ <u>C</u> enter ○ <u>B</u> ar @ <u>2</u>		to be cleare
General Alignment: Gutline tevet: Body Text Gutline tevet:		Alignment O Left O Decimal Leader O 1 None O 4	⊙ <u>₿</u> ar @ <u>2</u>	Tab stops	b be cleare
Alignment: Lett Collapsed by default Quttine levek: Body Text Collapsed by default Indentation Left: 0' Collapsed by default Bight: 0' Collapsed by defaul		○ <u>L</u> eft ○ <u>D</u> ecimal Leader ○ <u>1</u> None ○ <u>4</u>	⊙ <u>₿</u> ar @ <u>2</u>	•	<u>R</u> ight
Qutline level: Body Text Collapsed by default Indentation Left: 0 Special: Bg Bight: 0 0 0 (none) 0 Mirror indents Spacing Refere: 0 pt 0 Uge spacing: Att After: 8 pt 0 1 1 Multiple 0 14		○ <u>L</u> eft ○ <u>D</u> ecimal Leader ○ <u>1</u> None ○ <u>4</u>	⊙ <u>₿</u> ar @ <u>2</u>	-7	<u>a</u>
Indentation Left: 0° S Special: Bg Bight: 0° S (none) V Mirror indents Spacing Refere: 0 pt S Une spacing: At After: 8 pt S Multiple V 14		○ <u>L</u> eft ○ <u>D</u> ecimal Leader ○ <u>1</u> None ○ <u>4</u>	⊙ <u>₿</u> ar @ <u>2</u>	-7	<u>a</u>
Left: 0° 2 Special: Bg Bight: 0° 2 (none) 2 Mirror indents Spacing Before: 0 pt 2 Uige spacing: 4t After: 8 pt 2 Multiple 2 14		○ <u>L</u> eft ○ <u>D</u> ecimal Leader ○ <u>1</u> None ○ <u>4</u>	⊙ <u>₿</u> ar @ <u>2</u>	-7	<u>a</u>
Left: 0° 2 Special: Bg Bight: 0° 2 (none) 2 Mirror indents Spacing Before: 0 pt 2 Uige spacing: 4t After: 8 pt 2 Multiple 2 14		O Decimal Leader O 1 None O 4	⊙ <u>₿</u> ar @ <u>2</u>	-7	<u>a</u>
Bight: 0° (none) V Mirror indents Spacing Before: 0 pt & Line spacing: dit After: 8 pt & Multiple V 114		Leader O1None O4	@ <u>2</u>	-7	
Mirror indents Spacing Refore: 0 pt 😓 Line spacing: átt After: 8 pt 🔄 Multiple 🔍 114		0 <u>1</u> None 0 <u>4</u>		-7	
Spacing gefore: 0 pt 🔹 Line spacing: Att Atter: 8 pt 🔹 Multiple 🗸 1.4		04		7	
Before: 0 pt 🔹 Line spacing: ≜t: After: 8 pt 🗢 Multiple 🗸 1.0			c	lear	
After: 8 pt 🗢 Multiple 🗸 1.0		8 <u>S</u> et	c (lear	
·	1000		-	701	Clear <u>A</u> ll
Don't add spage between paragraphs of the same style	8 🗣		9	OK	Cancel
Preview					
Preious Faragaph Preious Faragaph Preious Paragaph Preious Paragaph Preious Paragaph					
Preious Faragaph Preious Faragaph Preious Faragaph Preious Faragaph Preious Faragaph Rubis Sector					
Following Paragraph Following Paragraph Following Paragraph Following Paragraph Following Paragraph					
Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph Following Parapaph					
fotbalos haanah fotbalos hannah fotbalos haanah fotbalos hannah fotbalos haanah					

The Paragraph dialog box opens.

Olick Tabs.

The Tabs dialog box opens.

Solick **Tab stop position** and type the position, such as **4** for 4 inches.

In the Alignment area, click the appropriate option button, such as Right (
 changes to
 »).

In the Leader area, click the appropriate option button, such as 2... ... (changes to .).
Click Set.

9 Click OK.

AutoSave 💽 🕅	🖽 🤊 · 🖒 🔹									
File Home	Insert Draw Design	Layout References	Mailings	Review View	r Helç	P	(ය Share	Comm	ents
	la Bright \sim 11 \sim $A^* A^*$ Aa I <u>U</u> ~ ab x, x' $A \sim \pounds$			AaBbCc: AaB 1 Normal 1 No		AaBbCt +	ې Editing	Dictate	Sensitivity	
Clipboard G	Font	r _S Paragrap			tyles	5		Voice	Sensitivity	
	Sales Awards Salesperson Pablo Smith Maria Z. Jones Ignacio Sebastian R Sammie Lee Kim <u>Fun</u> -Jung			Sales		-10)			
4 Page 1 of 2 14 of 4	6 words [🔀 English (United Sta	ites) insert		G Display Settings	[D] Foc	л III II	10		1 1	- 120

The Tabs dialog box closes.

The new tab stop appears on the ruler for the selected paragraphs.
Click outside the selection to deselect it.

AutoSave 💽 🕅	5 V V V	Tabulations •	, ⊃ Guy Hi	ert-Davis 🚱		- 0	×
File Home	Insert Draw Design Layout	References Mailings Review	View Help		ස් Share	Comm	ents
Paste 💰 B I	Bright $\sim 11 \sim A^* A^* Aa \sim A_0^*$ $\underline{U} \sim ab x, x^* A \sim \underline{A} \sim$	Image: Second secon	AaBbCci AaBbo		Dictate	Sensitivity	
Clipboard 15	Font IS	Paragraph fy	Styles	5	Voice	Sensitivity	^
* 1 * * * * * * * * *	Sales Awards Salesperson	Sales		6		7	
1	Pablo Smith						
	Maria Z. Jones						
-	Ignacio Sebastian Rodrigu	ez de Cordoba63					
1	Sammie Lee						
	Kim <u>Eun</u> -Jung		-1				
Page 1 of 2 51 words	: []] English (United States) Insert	Gii Dinplay Sa	ttings ¹ D. Focus E				120%

💷 In the paragraphs for which you set the tab, enter tabs and text.

⁽³⁾ The text appears with tab leaders.

TIP

Is there a quicker way to open the Tabs dialog box?

Yes, if you can click precisely. Double-click an existing tab on the ruler to open the Tabs dialog box. This shortcut is handy, but if you double-click the lower part of the ruler where there is no tab, you place a tab of the current kind, and then open the Tabs dialog box. If you double-click the upper part of the ruler instead, you open the Page Setup dialog box.

Add a Paragraph Border

You can draw attention to a paragraph containing important information by adding a border to it. You can place a border around a paragraph or a page, and you can control the color, weight, and style of the border. You also can add shading to a paragraph, as described in the section "Add Paragraph Shading," later in this chapter. See <u>Chapter 7</u> to learn how to add a border to a page.

Add a Paragraph Border

lutoSave 💷 🗟 🔈 - 🟷 🔹	Tabulations +			
le Home 2 Draw Design Layout F	References Mailings Review	View Help	🖒 Share	Comments
$ \begin{array}{c c} X \\ \hline \\ \hline \\ \hline \\ \\ ate \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $		AaBbCc: AaBbCc +	C Dictate	Semiltivity
neard 5 Fort 6	Tog Border Left Border Bight Border Sto Border All Border All Borders	Styles 5	Voice	Sensitivity
	Inicia Ecologi Inicia Ecologi Inicia General Bonder Inicia General Bonder Diagonal Cognit Bonder Diagonal Cognit Bonder Diagonal Up Bonder ## Horigontal Line			
	Qraw Table View Gridlines Byrders and Shading	4		

1 Select the text that you want to surround with a border.

Note: To surround all lines in a paragraph by a border, select both the text and the paragraph mark (1). To display paragraph marks, click **Show/Hide** (1) on the Home tab in the Paragraph group.

2 Click **Home**.

The Home tab appears.

3 Click \sim to the right of **Borders** (\square).

Borders and Shading	? ×
Borders Page Border Shading	
Setting: None Style: Shadow Shadow Color: Automatic Theme Colors Standard Colors Standard Colors Preview Click on diagram use buttons to ap Click on diagram Use buttons to ap Preview Click on diagram Display to: aragraph OK	

4 Click **Borders and Shading**.

The Borders and Shading dialog box opens.

6 Click Borders.


The Borders tab appears.

6 Click in the Setting box to select a type of border.

This example uses Box.

Click in the Style box to select the style for the border line.

^⑧ Click **Color** (∞), and then click the color for the border line.



Olick Width (), and then click the thickness for the border line.

O You can use the Apply To list to apply the border to an entire paragraph or to selected text.

¹ The Preview area shows the results of the settings you select.

0 Click OK.

AutoSave 💿 🖫	9-0 ·		Tabulations •	م	Guy Hart-Davis	GH 0	a – a	×
File Home Inse	ert Draw Design	Layout References	Mailings Review	View Hel	p	63	Share 🗌 🖓 Comm	nents
Paste of B I U	~ ab x, x² ▲~ ∠		¶ 1 Normal			Ť	Dictate	
Clipboard 15	Font	Fig Paragraph	5	Styles	5		Voice Sensitivity	
		Notice fo	or All Key U	lsers				
							-11	
· · · · · · · · · · · · · · · · · · ·								
Page 2 of 2 56 words [English (United States)	Insert	Gg Display Se	ttings (D) Foo	us E3 🕅	18		+ 120%

The Borders and Shading dialog box closes.

G The border appears around the text you selected in step 1.

Olick anywhere outside the selection to continue working.

Note: You can apply a border using the same color, style, and thickness you established in these steps to any paragraph by completing steps 1 to 3 and clicking the type of border you want to apply in step 6.

TIP


How do I remove a border?

Click anywhere in the text surrounded by a border. Then click **Home** to display the Home tab, go to the Paragraph group, and click \sim to the right of **Borders** (\boxplus). In the Borders pop-up panel, click **No Border**. Word removes the border.

Apply Formatting Using Styles

To apply formatting quickly and consistently, you can use Word's styles. A *style* is a predefined set of formatting that can include font settings, paragraph settings, list settings, and border and shading settings. For example, to give all the first-level headings in a document the same formatting and ensure they look the same, you could apply the Heading 1 style to them.

You can access styles you use frequently through the Styles gallery. You can access all styles through the Styles pane and the Apply Styles pane.



Using the Styles Gallery


Select the text to which you want to apply formatting.

2 Click Home.

The Home tab appears.

In the Styles group, click ▲ and to scroll through available styles.





In the Styles gallery opens.


¹³ The style of the selected text appears highlighted.

• As you move the pointer () over various styles, Live Preview shows you the way the selected text would look in each style.

5 Click the style you want to apply.

The Styles gallery closes.

Word applies the style to the selected text.



Using Other Styles

1 Select the text to which you want to apply the style.


2 Click Home.

The Home tab appears.

In the Styles group, click More (束).

The Styles gallery opens.

Olick Apply Styles.



The Apply Styles pane appears.

Sclick - to the right of Style Name.

The Style Name list opens.

- 6 Click the style you want to apply.
- Word applies the style to the selected text.

🕖 Click ×.

The Apply Styles pane closes.

Olick anywhere outside the selection to continue working.

TIP

How can I easily view styles as they would appear in my document?

Click **Home** to display the Home tab, go to the Styles group, and then click the dialog box launcher (\square) to display the Styles pane. In the Styles pane, click **Show Preview** (\square changes to \square). Word displays styles using their formatting in the Styles pane.

Save Formatting in a Style

In addition to the styles Word provides for you in the Styles gallery for headings, normal text, quotes, and more, you can easily create your own styles to store formatting information. Creating your own styles is particularly useful if you cannot find a built-in style that suits your needs.

You can create a new style by formatting text the way you want it to appear when you apply the style. You then use the example text to create the style and store it in the Styles gallery. You also can modify the style settings at the same time that you create the style.

utoSave 💿 🗒 ヴィ ひ = Document9 · Won			ш – о ×	
Home Issert Design Layout Refere ↓ <th>E v E v Nov E E E 2↓ ¶ E E E E I E v A v E v Paragraph 5↓</th> <th>AaBbCcDr AaBbCr v 1 No Spac Heading 1</th> <th>Share Comments</th> <th>^</th>	E v E v Nov E E E 2↓ ¶ E E E E I E v A v E v Paragraph 5↓	AaBbCcDr AaBbCr v 1 No Spac Heading 1	Share Comments	^
			I	
	MISSION STATEMENT	2		

Format text in your document using the formatting you want to save in a style.
 Select the text containing the formatting you want to save.

3 Click Home.

The Home tab appears.

In the Styles group, click More (⇒).


In the Styles gallery appears.

Create New Style from Formatting	?	×	ading	TI N
Name:				
Heading with Border 6			_	Style
Paragraph style preview:			1	. 5 .
OK <u>M</u> odify	y	ancel		
MISSION ST	TATE	MEN	T	

Glick Create a Style.

The Create New Style from Formatting dialog box opens. **6** Type a name for the style.

Olick Modify.



A larger version of the Create New Style from Formatting dialog box opens.

- [●] You can click **Style for following paragraph** (∞) and select the style for the following paragraph when you use the style you are creating.
- Use these options to select font formatting for the style.
- Use these options to set paragraph alignment, spacing, and indentation options.
- Click New documents based on this template (changes to) to make your style available in new documents.

8 Click OK.

Word saves your newly created style.

TIPS

What happens if I click Format in the Create New Style from Formatting dialog box?

A menu appears that you can use to specify additional formatting. Select the type of formatting, and Word displays a dialog box where you can add more formatting characteristics to the style.


What does the Style Based On option do?

Every style you create is based on an existing Word style. Changing an existing style can result in many styles changing. For example, many styles are based on the Normal style. If you change the font of the Normal style, you change the font of all styles based on the Normal style. Normal style.


Expand or Collapse Document Content

If you format a document using heading styles, you can hide or display parts of the document's content by expanding or collapsing headings. Hiding or displaying content can be particularly helpful if you are working on a long, complicated document. For example, you can hide everything except the portion on which you want to focus your attention. If you send the document to others to review, you can help your reader avoid information overload if you display only the headings and let your reader expand the content of the headings of interest.

Expand or Collapse Document Content




In a document, apply heading styles such as Heading 1 or Heading 2.




2 Move the pointer (I) toward a heading.
 A collapse button (a) appears next to the heading.

3 Click 🖬



All text following the heading that is not styled as a heading disappears from view. An expand button (a) replaces a.

4 Click 🛛



In the hidden text reappears.


TIP

How can I expand or collapse all headings?

Right-click any heading to display the context menu, then click or highlight **Expand/Collapse** to display the Expand/Collapse submenu. Click **Expand All Headings** or **Collapse All Headings**, as appropriate. Collapsing all headings hides all text and headings except text formatted as Heading 1.

Add Paragraph Shading

Shading is another technique you can use to draw your reader's attention. Shading appears on-screen and when you print your document; if you do not use a color printer, paragraph shading will be most effective if you select a shade of gray for your shading.



1 Select the paragraph(s) that you want to shade.

2 Click Home.

The Home tab appears.


3 Click - to the right of **Borders** (⊞-).

Olick Borders and Shading.

The Borders and Shading dialog box opens.

Click Shading. The Shading tab appears.

- o Click ∞.
- Olick a fill color.
- 8 Click OK.



- Olick anywhere outside the paragraph(s) you selected in step 1.
- Word shades the selection you made in step 1.