

Other Standard Pressure Levels

- In addition to 500mb, other standard levels are:

850mb - 1500m

700mb - 3000m (10000')

300mb - 10000m (33000')

Forces Affecting the Wind

- Pressure gradient force (PGF, directed from high pressure to low pressure)
- **The Coriolis Force**
 - 1) Due to earth's rotation
 - 2) Known as an apparent force
 - 3) Conservation of angular momentum (N-S)
 - 4) Centrifugal force (E-W)
- An apparent force because of different frames of reference



- In the N-S direction, conservation of angular momentum produces the Coriolis Force
angular momentum = $R^2 * \Omega$
R = radius
 Ω = rate of rotation
 - deflects right as one moves equator to North Pole (and vice-versa)
 - deflects left as one moves equator to South Pole (and vice-versa)
- In the E-W direction, changing the centrifugal force produces the Coriolis Force

Northern Hemisphere

- deflects right as one moves east
- deflects right as one moves west

Southern Hemisphere

- deflects left as one moves east
- deflects left as one moves west

- Main points to remember:
 - 1) Coriolis Force deflects moving things right (NH) or left (SH)
 - 2) There is no Coriolis Force at the equator, and it is maximum at the poles
 - 3) The Coriolis Force is proportional to speed


- 4) The Coriolis Forces changes only direction, not speed
- 5) Coriolis force is slow to act (noticeable only after a few hours)

Forces Affecting the Wind –Summary


- Pressure gradient force (PGF, directed from high pressure to low pressure)
- The Coriolis Force
 - 1) Due to earth’s rotation
 - 2) Known as an apparent force
 - 3) Conservation of angular momentum (N-S)
 - 4) Centrifugal force (E-W)
- Friction (from the ground, within the planetary boundary layer)

How the Wind Blows (The Upper Atmosphere Version)


- Forces acting on air above the boundary layer are the PGF and the Coriolis Force




- The balance between the PGF and the Coriolis Force is called geostrophic balance (wind is geostrophic wind)



Geostrophic Balance



In curved flow, another force comes into play – centrifugal force (results in gradient wind balance)




- **Subgeostrophic** flow occurs around Lows
- **Supergeostrophic** flow occurs around Highs


key: wind speed is proportional to the Coriolis Force

How the Wind Blows (The Lower Atmosphere Version)

- Now we have PGF, the Coriolis Force, and friction:





- Wind blows across isobars toward lower pressure




Surface SLP and winds

Upper vs. Lower Atmospheric Winds



Cyclostrophic Balance


- Wind field achieves a balance between the centrifugal force and the PGF
- This occurs on short time scales (tornadoes) before the Coriolis Force can act (think draining bathtub drains...)



Measuring Wind

- Both wind speed and direction are measured
 direction: measured as the direction where the wind blows **from** in degrees clockwise from **North**

wind is 30 knots at
 60°
 $1 \text{ kmph} = 1.85 * \text{knots}$ (30 knots =
 55.5 kmph)



Wind vane – measures wind direction only



Anemometer – measures wind speed only



Aerovane – measures wind speed and direction




© 2010 Pearson Education, Inc.

The Observational Network

Upper-air observations

Radiosondes – a package of instruments launched twice daily on weather balloons from stations around the globe



- Launched globally at 0000 UTC and 1200 UTC
UTC – Universal Time Coordinate – same time everywhere on earth
(as opposed to local time)

Local Baghdad time = UTC time + 3 hours

Surface observations

- Automated Surface Observing System (ASOS) – the primary U.S. surface observing network, observation stations located at airports
-

