



P₄

50/100 Fifty only

Physical Chemistry_Chpt_One_Properties of Gases

22-11-2021
Abd
Dr. Abduljabbar I. R. Rushdi
5

Name of a student Zahra mezhher Balsek Signature

No. 5

University of Mustansiriyah

1st Semester-2021

Department of Chemistry

1st Exam-paper B

Q1: Circle the right answer for all of the following:

(50 points)

1: A vessel of 5000 mL capacity contains a certain amount of gas at 313 ^K and 2 bar pressure. The gas is transferred to another vessel of volume 10000 mL at 40 °C. What should be its pressure?

Answer: a) 1.0 atm b) 1.0 mmHg c) 75 cmHg d) 1.5 bar

2: If the particles of a gas are polar that means the difference between p_{ideal} and p_{real} is

Answer: a) low b) equal c) high

3: Calculate the temperature of 5000 mmol of a gas occupying 5.0 dm³ at 3.3x10⁵ Pa?

Answer: a) 40.2 °C b) 40.2 K c) 44.2 °C d) 44.2 K

4: Calculate the weight of NH₃ (17 g.mol⁻¹) in a 4 L cylinder at 8 atm and 300 K.

Answer: a) 22.11 kg b) 22.11 g c) 23 K d) 23 °C

5: Calculate the p_c of a gas, if the p_r is 0.44 and p is 1 bar.

Answer: a) 2.27 K b) 2.27 atm c) 2.27 L d) 2.27 mol

6: If the attraction forces are calculated, that means the gas is?

Answer: a) real b) noble c) perfect d) compressed

7: According to the Dalton's law total mole fraction is equal to?

Answer: a) Σn b) Σp_i c) Σp_r d) Σχ

8: What is the partial pressure of a gas in a mixture, if the X_i is 1, and the conditions are at STP?

Answer: a) 0.99 torr b) 0.89 bar c) 0.900 atm d) 1.01 bar

9: At high pressure the Z > 1 which means the dominated forces are?

Answer: a) Van der Waal's b) equal c) repulsions d) attractions

10: According to Avogadro's law the amount of a gas at STP is?

Answer: a) 1.00 mol b) 2.00 mol c) 1.00 mmol d) 2.00 mmol

Q2: The air inside a flexible 3.5 L container has a pressure of 115 kPa. What should the volume of the container be increased to in order to decrease the pressure to 625 torr? (25 points)

Q3: A 3 dm³ container holds 0.5 moles of N₂ gas at 42 °C. What is the pressure inside the container? (25 points)

$$Q2) P_1 V_1 = P_2 V_2$$

$$0.15 \text{ torr} * 3.5 \text{ L} = 625 \text{ torr} * V_2$$

$$V_2 = \frac{0.15 \text{ torr} * 3.5 \text{ L}}{625 \text{ torr}} = 8.4 \times 10^{-4} \text{ L}$$

Q2 $\frac{10}{25}$

~~two decreased in volume~~
~~not increased~~

115 K/20

760

~~= 0.15 torr~~

$$Q3) pV = nRT$$

$$p * 3 \times 10^3 \text{ mol} = 0.5 \text{ mol} * 0.082 \text{ atm} \cdot \text{L/mol} \cdot \text{K} * 315 \text{ K}$$

$$p = \frac{0.5 \text{ mol} * 0.082 \text{ atm} \cdot \text{L/mol} \cdot \text{K} * 315 \text{ K}}{3 \times 10^3 \text{ L}}$$

$$p = 4.305 \times 10^{-3} \text{ atm}$$

Q3 $\frac{10}{25}$