



1/5

Mid Quiz

Physical Chemistry 2<sup>nd</sup> YUGS\_EV\_ST

20/100

Twenty only



Name of a student \_\_\_\_\_ Signature \_\_\_\_\_ No. 39

Mustansiriya University  
Department of Chemistry

2<sup>nd</sup> SEM-2025 Bologna Process  
Mid Exam Class A Paper D

Q1/ MCO test (Answer the following)

(Marks 50 %)

1: The Gibbs phase rule is interested in two variants?

Answer: a) p & T      b) F & T      c) p & conc.      ~~d) F & conc.~~

2: What do you expect if you add NaCl to H<sub>2</sub>O, an increase in the?

Answer: a) LP      b) VP      ~~c) FP~~      d) BP

3: The three phases of CO<sub>2</sub> in the phase diagram meets?

Answer: a) at 1 atm      b) over 1 atm      ~~c) below 1 atm~~      d) at any pressure

4: The phase of super cooling is -----?

Answer: a) gas      b) liquid      ~~c) solid~~      d) plasma

5: How many phases are there when the number of variants is two and the number of components is one?

Answer: ~~a) zero~~      b) 1      c) 2      d) 3

6: The Clapeyron equation can be applied when there is an equilibrium between one of the following?

Answer: a) melt. & freez.      ~~b) sub. & depo.~~      c) vap. & cond.      d) all of these

7: The relationship between VP and m is -----.

Answer: ~~a) direct~~      b) inverse      c) disordered      d) none of these

8: If you add a ----- to a solvent, then there is a change in the colligative properties of the solvent.

Answer: ~~a) non-volatile solute~~      b) volatile solute      c) pure solute      d) pure solvent

9: Osmotic process is used to push the solvent to the -----?

Answer: a) solute      b) impure solute      ~~c) mixture~~      d) pure solvent

10- One of the most important benefits of measuring molar mass of the solute is to study the change in -----.

Answer: a) m      ~~b)  $\Pi$~~       c) V      d) p

Q2/ 0.5 mol of a non-P-solute was added to 12.0 mol of P-solvent, VP\* is 12.0 kPa at 295 K. What is the VP at 295 K? Determine the deviation of this solution from Raoult's law where VP<sub>ideal</sub> = 10 kPa. (Marks 25%)

Q3/ Plot the phase diagram of the system (A & B) assumed that (A & B) do not react with each other. A freezes at (-6 °C) and B freezes at (8 °C), and that an eutectic mixture is formed when the ratio is 60 wt % of A and that the eutectic melts at (-9 °C), then label all the parts (p & F) of the diagram? (Marks 25%)

