



1/5

F13

Physical\_Chemistry\_2<sup>nd</sup>\_YUGS\_EV\_ST

20/100 Twenty only

Name of a student

Signature

No. 110

Mustansiriyah University  
Department of Chemistry

2<sup>nd</sup> SEM-2026\_Bologna\_Process  
Mid\_Exam\_Class\_A\_Paper\_A

Q1/MCO test (Answer the following)

(Marks 50 %)

1: Depression of freezing point of a solution associated an increasing in?

Answer: a) T b) H c)  $\mu$  d) S

2: When applying the reduced phase rule to condensed systems, the pressure is assumed to be ----- atm?

Answer: a) zero b) 1 c) 2 d) 3

3: The reduced phase rule applies when which variable is kept constant?

Answer: a) T b) conc c) p d)  $\chi$

4: Which One of the following expressions represents a negative deviation from Raoult's law?

Answer: a)  $P_A \neq \chi_A P_A^*$  b)  $P_A = \chi_A P_A^*$  c)  $P_A > \chi_A P_A^*$  d)  $P_A < \chi_A P_A^*$

5: Addition of a non-volatile solute to a pure solvent results in a change in?

Answer: a)  $\Delta_{mix}H$  b)  $\Delta_{mix}S$  c)  $\Delta_{mix}V$  d) all of these

6: The difference between pure and impure solvent is?

Answer: a)  $\mu^* = \mu$  b)  $\mu^* > \mu$  c)  $\mu^* < \mu$  d)  $\mu^* \neq \mu$

7: The relationship between  $\Delta T_f$  and  $\chi_B$  is?

Answer: a) direct b) inverse c) disordered d) none of these

8: With the two-component system (A & B), one part of the solid phase consists of?

Answer: a) A + B b) A + solution c) B + solution d) A + eutectic

9: If you add a solute to a pure solvent, then there is a decrease in the ----- of the solution.

Answer: a) S b) H c) T d)  $\mu$

10: Dalton's law is used to calculate the partial pressure of which phase?

Answer: a) liquid b) gas c) solid d) plasma

Q2 A solution contains 4.0 g of an unknown substance in 0.5 dm<sup>3</sup> of solution. Its osmotic pressure is 103 torr at 34.0 °C. Calculate the molar mass of the unknown substance. (Marks 25%)

Q3 Using the diagram below and the appropriate phase rule, fill in all the blanks and determine the composition of the all-eutectic mixture, all equilibria, all reversible and irreversible processes, and the name of the regions located to the right and left of points C, E & AB? (Marks 25%)




Name of a student ----- Signature ----- No. -----

Q<sub>2</sub> <sup>20</sup>/<sub>25</sub>

100 ANSWER, why?

Two component system ( )



Q<sub>3</sub> <sup>10</sup>/<sub>25</sub>

$$f = C - P + 3$$

$$= 1 - 3 + 3$$

$$= 1$$