

MATLAB

تحليل عددي عملي

المرحلة الثانية - صباحي

إعداد : م.م. جنان فاضل

Lecture 16

43

Creating Polynomials in MATLAB prog.

Example (1):

Create the following polynomial and display it in MATLAB prog.

$$X^4 + 3X^3 - 15X^2 - 2X + 9$$

Answer:

`>> a = [1 3 -15 -2 9] ←`

`a =`
1 3 -15 -2 9

Example (2): Create the following polynomial and display it in MATLAB

$$X^4 - 2X^2 + 3$$

Answer:

`>> y = [1 0 -2 0 3] ←`

`y =`
1 0 -2 0 3

Example (3): Create the following polynomial and display it in MATLAB prog.

$$7t^4 - 9$$

Answer:

`>> z = [7 0 0 0 -9] ←`

`z =`
7 0 0 0 -9

44

Computing the Value of a Polynomial

Example (1): Compute the value of the following polynomial at $x=3$ in MATLAB prog.

$$x^4 + 3x^3 - 15x^2 - 2x + 9$$

Answer:

```
>> v = [1 3 -15 -2 9];
```

```
>> polyval(v, 3)
```

```
ans =  
30
```

Example (2): Compute the value of the following polynomial at $x=2$ in MATLAB prog.

$$f(x) = x^4 - 2x^2 + 3$$

Answer:

```
>> f = [1 0 -2 0 3];
```

```
>> polyval(f, 2)
```

```
ans =  
11
```

Example (3): Compute the value of the following polynomial at $t=-1$ and $t=2$ in MATLAB prog.

$$7t^4 - 9$$

Answer:

```
>> z = [7 0 0 0 -9];
```

```
>> polyval(z, -1)
```

```
ans =  
-2
```

```
>> polyval(z, 2)
```

Lecture 17

45

ans = 103

Finding the Roots of a Polynomial in MATLAB prog.

Example (1): Use MATLAB prog. to find the roots of the polynomial $t^4 + 3t^3 - 15t^2 - 2t + 9$, and check your answers.

Answer:

```
>> w = [1 3 -15 -2 9];
```

```
>> roots(w)
```

```
ans =  
-5.5745  
2.5836  
-0.7951  
0.7860
```

```
>> poly(ans)
```

```
ans =  
1.0000 3.0000 -15.0000 -2.0000 9.0000
```

Example (2): Use MATLAB prog. to find the roots of the polynomial $x^4 + 3x^3 - 3x^2 - 11x - 6$, and then compute the value of the given polynomial at $x=3$.

Answer:

```
>> w = [1 3 -3 -11 -6];
```

```
>> roots(w)
```

```
ans =  
2.0000  
-3.0000  
-1.0000 + 0.0000i  
-1.0000 - 0.0000i
```


(46)

```
>> S = polyval(w, 3) <|
```

```
S = 96
```

```
>> poly(ans) <|
```

```
ans = 1.0000 3.0000 -3.0000 -11.0000 -6.0000
```

Example (3): Use MATLAB prog. to find the roots of the polynomial $t^4 + t^3 - 7t^2 - t + 6$, and check your answers, and then compute the value of the given polynomial at $t = -1$.

Answer:

```
>> u = [1 1 -7 -1 6]; <|
```

```
u =  
1 1 -7 -1 6
```

```
>> roots(u) <|
```

```
ans =  
-3.0000  
-1.0000  
2.0000  
1.0000
```

```
>> poly(ans) <|
```

```
ans =  
1.0000 1.0000 -7.0000 -1.0000 6.0000
```

```
>> polyval(u, -1) <|
```

```
ans = 0
```

Exercises: (1) Use MATLAB prog. to find the roots of the polynomial $f(x) = x^3 + 2x^2 + 10x - 20$, and check your answers,

Lecture 18

47

and then compute the value of the given polynomial at $x = 1$.

(2) Use MATLAB prog. to find the roots of the polynomial $x^4 - 9x^3 - 2x^2 + 120x - 130$, and check your answers, and then compute the value of the given polynomial at $x = -1$.

Computing the Derivative of a Function in MATLAB prog.

Example (1): Find the derivative of the function $F(x) = x^3 - 3x^2 + 10x - 22$ in MATLAB prog.

Answer:

```
>> syms x ↵  
>> f = x^3 - 3*x^2 + 10*x - 22; ↵  
>> diff(f) ↵  
ans =  
3*x^2 - 6*x + 10
```

Example (2): Find the derivative of the function $y = 2w^2 + 3w - 1$ in MATLAB prog.

Answer:

```
>> syms w ↵  
>> y = 2*w^2 + 3*w - 1; ↵  
>> diff(y) ↵  
ans = 4*w + 3
```

(48)

Example (3): Compute the derivative of the function $f(x) = 3x^3 - 4x$ at $x=1$ in MATLAB prog.

Answer:

```
>> syms x ↵  
>> f = 3*x^3 - 4*x; ↵  
>> diff(f) ↵  
ans =  
9*x^2 - 4
```

```
>> x = 1; ↵  
>> eval(ans) ↵  
ans =  
5
```

Example (4): Compute the derivative of the function $f(x) = 3\sin x + \cos x$ at $x=0$ in MATLAB prog.

Answer:

```
>> syms x ↵  
>> f = 3*sin(x) + cos(x); ↵  
>> d = diff(f) ↵  
d =  
3*cos(x) - sin(x)
```

```
>> x = 0; ↵  
>> eval(d) ↵  
ans =  
3
```